

# Implements and Machinery 2014



**Kilworth Machinery Ltd.**

**Annwell Lane, Smisby, Ashby de la Zouch, LE65 2TA.**

**Tel: 01530 412690**

**Fax: 01530 560002**

**E-mail: [sales@kilworthmachinery.co.uk](mailto:sales@kilworthmachinery.co.uk)**

**Website: [www.kilworthmachinery.co.uk](http://www.kilworthmachinery.co.uk)**

- All prices exclude VAT
- All previous lists cancelled
- Carriage £55 on UK mainland except Scotland and South West England £75 (per machine)
- Optional extra prices apply when ordered with complete machine only



<b>Introduction to Kilworth</b>	2
<b>Rotary Mowers</b>	
Pasture Toppers	4
Sovema EM2 Finishing Mower	5
<b>Flail Mowers</b>	
Dragone L Series Flail Mowers	6
Dragone MTL Series Flail Mowers	7
Dragone VOGT1/2 Series Professional Flail Mowers	8
Dragone VOGT3 Series Professional Flail Mowers	9
Dragone AB Flail Collector	10
Sovema TRIS Flail Mower/Scarifier with collection	11
Intermac BS Side Arm Flail Mower	12
Forestry Flails	13
<b>Sweeper</b>	
Intermac ST Sweeper	14
<b>Stone Buriers</b>	
RotoBurier M Series, L Series	15
RotoBurier Greenpower P Series	16
<b>Rotary Cultivators</b>	
Sovema RB2/RP2 Rotary Cultivators	17
Sovema REC2/RTX Rotary Cultivators	18
<b>Rotary Harrows</b>	
RotoHarrow MTZ	19
Sovema ERL3/ERX2 Rotary Harrow	20
<b>Trailers</b>	
TT Tipping Trailer	21
<b>Bio Shredders</b>	
Negri Bio Shredders R70/R95	22
Negri Bio Shredders R225/R240	23
Negri Bio Shredders R255/R280	24
<b>Ploughs, Grader Blades</b>	
VR Plough	25
BR Plough	25
SS Chisel Plough/Subsoiler	25
<b>Fertiliser Spreaders</b>	
Agrex XL Fertiliser Spreaders/Salt Spreaders	26
Electric Salt Spreaders/Single Disc Electric Salt Spreaders	27
<b>Snow Ploughs</b>	
LSN/LP Snow Ploughs	28
<b>Backhoes</b>	
GRE Backhoe	29
<b>Hydraulic Forklifts</b>	
SFK and CM Forklifts	30
<b>Goal Post Lifter</b>	
Goal Post lifter for Rugby Posts	31
Goal Post lifter for Football Posts	31
<b>Rollers, Grass Harrows</b>	
FR Flat Roller	32
SH Spring Tine Grass Harrow	32
CH Chain Harrows	
<b>Transport Box, Forestry Grab</b>	
BR Transport Box	33
Forestry Grab	33
<b>Forestry Winches</b>	
Tajfun Forestry Winches	34
<b>Firewood Processors</b>	
Tajfun RCA	35
<b>Log Splitters</b>	
Tractor Mounted Log Splitter	36
Iris Electric Log Splitter	36
<b>Saw Benches</b>	
Rosselli Saw Benches	37
<b>Forestry Trailer</b>	
KFT Forwarding Trailer	38
<b>Concrete &amp; Compost Mixers</b>	
Fliegl SS/FA Pan Mixers	39
Special Build Machinery	40

Kilworth is a family business run by two generations of Parnhams. The family have been in the farm and garden machinery trade for over 45 years. Kilworth became a specialist in machinery for compact tractors over 22 years ago. The business has grown every year since then and is now firmly established as a major supplier to the landscaping and ground care industries.



- *Purpose built PDI and service department*

- All machines within this catalogue normally available from stock.
- All machines undergo a thorough pre-delivery preparation before dispatch.
- All Kilworth products are backed by high levels of parts stocks and an in-depth technical knowledge of every machine.



- For further information please contact Kilworth by any of the following means:
- Telephone:

Office	01530 412690
Mark Parnham	07785 378070
Andrew Parnham	07831 805472
Andrew Finch	07887 568622
- Fax: Office: 01530 560002
- Email: Office: [sales@kilworthmachinery.co.uk](mailto:sales@kilworthmachinery.co.uk)
- Website: [www.kilworthmachinery.co.uk](http://www.kilworthmachinery.co.uk)

The following price lists are also available on request from Kilworth



● Price List 2 : BCS Tractors



● Price List 3 : Ferrari two wheeled tractors



● Price List 4 : Fliegl Concrete Mixers

Pasture Toppers



● SG 150

- Toppers are suitable for use on grass and light scrub. They are ideal for paddocks.
- Single gearbox driven rotor with swinging tip blades.
- Floating 3 point hitch for working on undulating ground.
- Adjustable skids.



● TE

Model	Working Width	Overall Width	Weight kg	HP Required	Price	Code
SG 150	1.5 m 60"	1.65 m 65"	305	25 - 40	£1300	A1
SG 180	1.8 m 72"	1.95 m 77"	385	35 - 70	£1480	A1
TE100	1.0 m 39"	1.1 m 43"	148	12 - 35	£1140	A1
TE130	1.3 m 51"	1.4m 55"	190	15 - 35	£1200	A1

Optional Extra	Price	Code
Rear roller (TE only)	£175	A1

## Sovema EM2 Finishing Mower



● EM2

- For regularly maintained grass areas where a quality finish is required.
- 3 rotary blades.
- Power transmission via central gearbox and 2 vee belts.
- Rear discharge.
- 4 castor wheels (rear roller option).
- Fully floating 3 point linkage.
- Easily converted to front mounting.
- Cutting height from 3cm to 10cm.

Model	Working Width		Overall Width		Weight kg	HP Required	Price	Code
EM2 48	1.2 m	48"	1.27 m	50"	180	12 - 20	£1790	A1
EM2 60	1.5 m	60"	1.57 m	62"	210	15 - 30	£1990	A1
EM2 72	1.8 m	72"	1.88 m	74"	234	18 - 35	£2190	A1

● *Rear Roller Option*



Optional Extras		Price	Code
Over-run clutch on pto		£110	A1
1000/2000 rpm gearbox		£155	A1
Front mounting kit		£150	A1
Rear Roller (in lieu of rear wheels)	EM2 48"	£390	A1
Rear Roller	EM2 60"	£430	A1
Rear Roller	EM2 72"	£455	A1

## Dragone L Series Flail Mowers



● *Dragone L*

Standard Flail



● *Dragone L with front mount and hydraulic side shift option*

- Flail mower for grass areas and light scrub land.
- Forged Steel 'duck foot' flails give a fine finish on grass but have sufficient weight to tackle scrub land growth.
- Heavy duty gearbox with over-run clutch and 3 transmission belts.
- Rear roller (adjustable for height of cut) and side skids.
- Hydraulic side shift and front mounted options.
- Rotor bearings protected inside rotor.
- Mulching bar integrated into hood.
- LP160 has extra frame reinforcing.

Model	Working Width	Overall Width	Weight kg	HP Required	Price	Code
L 100	1.0 m	1.06 m	152	12 - 25	£2210	A1
L 115	1.15 m	1.21 m	160	15 - 30	£2340	A1
L 130	1.3 m	1.36 m	168	20 - 35	£2380	A1
L 145	1.45 m	1.51 m	176	25 - 40	£2480	A1
LP 160	1.6m	1.66 m	224	30 - 40	£2690	A1

Optional Extras	Price	Code
Hydraulic Side Shift	£420	A1
Front Mount Version	£290	A1
1000/2000rpm PTO	£150	A1

## Dragone MTL/VL Series Flail Mowers



● *MTL 160*



● *MTL 180 Reversible*

- Flail mower for grass areas and scrub land.
- Standard forged hammer flails give an excellent finish to grass but have sufficient weight to tackle heavier growth on scrub land.
- Heavy duty gearbox with built-in over-run clutch. 3 transmission belts.
- Rear roller (adjustable for height of cut) and side skids.
- Rotor bearings protected inside rotor.
- Mulching bar integrated into hood.
- Spiral rotor system. Flails are mounted in a spiral around the rotor tube. Smoother drive, less power and a finer finish.
- Rotor drive shaft is the full length of the rotor - not stubs welded at each end.
- Hydraulic side shift standard. Manual available.

Model	Working Width	Side shift	Weight kg	HP Required	Price	Code
MTL-120	1.2 m	250 mm	240	22-30	£3180	A1
MTL-140	1.4 m	300 mm	275	25-35	£3370	A1
MTL-160	1.6 m	400 mm	320	28-40	£3530	A1
MTL-180	1.8 m	400 mm	355	30-50	£3765	A1
VL-200	2.0 m	500 mm	590	50-70	£4250	A1
VL-220	2.2 m	500 mm	615	55-70	£4690	A1

Optional Extras	Price	Code
Reversible connection (MTL)	£700	A1
Reversible connection (VL)	£1185	A1



- *Standard flail*

## Dragone VOGT1/VOGT2 Series Professional Flail Mowers



### ● VOGT1-175

### ● VOGT1-175 Reversible

- Heavy duty flail motors suitable for cutting grass and heavy scrub land.
- All models constructed from 6mm plate with 8mm end plates.
- D models have a double skin frame with extra 5mm inner plate.
- Hydraulic side shift (requires one double acting spool valve). Mechanical side shift on request.
- Height adjustable roller with greasable and protected internal bearings.
- Heavy hammer flails fitted as standard. The flail design gives a good finish on fine or rough areas.
- Integral mulching bar.
- Roller bearings protected inside rotor



- Spiral rotor system, smooth drive, low power, finer cut.



- Smooth end plate prevents snagging on undergrowth particularly when mowing hedgerows.

- Optional reverse drive system for use on front linkage or reverse drive tractors.

Model	Work Width	Side Shift	Weight kg	No. Flails	No. Drive belts	HP Required	Price	Code
VOGT 1-140	1.4 m	400mm	385	16	4	30 - 70	£4030	A1
VOGT1-160	1.6 m	450mm	530	18	4	30 - 70	£4240	A1
VOGT1-175	1.75 m	500mm	560	20	5	40 - 70	£4730	A1
VOGT1-175D	1.75 m	500mm	650	20	5	40 - 90	£5250	A1
VOGT1-200D	2.0 m	500mm	730	22	5	50 - 90	£5575	A1
VOGT2-220D	2.2 m	500mm	970	24	6	60 - 90	£6120	A1
VOGT2-240D	2.4 m	500mm	1045	26	6	70 - 100	£6530	A1



- *Standard Flail*

Optional Extras	Price	Code
Reversible connection VOGT1	£725	A1
Reversible connection VOGT2	£1220	A1
1000rpm PTO	£180	A1

## Dragone VOGT3 Series Professional Flail Mowers



### ● VOGT3 260

- Heavy duty flail mowers suitable for cutting grass and heavy scrub land.
- Constructed from 6mm plate with 10mm end plates.
- Double skin frame with 5mm plate inner skin fully welded.
- Large diameter rotor (300mm) with full length drive shaft.
- Hydraulic side shift (requires one double acting spool valve).
- Rotor bearings protected inside rotor
- Height adjustable large diameter rear roller with greasable and protected internal bearings.
- Heavy hammer flails fitted as standard. The flail design gives a good finish on fine or rough areas.
- Integral mulching bar..
- Optional reverse drive system or front linkage mounted.
- 6 drive belts with tensioner and cooling system. 1000rpm PTO.



- Spiral rotor system, smooth drive, low power, finer cut.



- Smooth end plate prevents snagging on undergrowth particularly when mowing hedgerows.

Model	Work Width	Side Shift	Weight kg	No. Flails	No. Drive belts	HP Req	Price	Code
VOGT3-260	2.6 m	600mm	1250	28	6	90-120	£6840	A1
VOGT3-280	2.8 m	600mm	1330	30	6	90-120	£7150	A1
VOGT3-300	3.0 m	600mm	1405	32	6	100-130	£7460	A1
VOGT3-320	3.2 m	600mm	1485	34	6	100-150	£7890	A1



### ● VOGT 260



### ● Standard Flail

Optional Extras	Price	Code
Front mounted	£350	A1
Reversible connection	£1220	A1

Dragone AB Series Flail Mower Collector



- Hammer Flails.
- Low tip hopper controlled hydraulically.
- Heavy duty rotor with internal bearings.
- Multi-belt drive with cooling fan.
- Large diameter adjustable rear roller with protected internal bearings.
- Integral mulching bar.





Model	Working Width	Hopper Volume	Weight kg	HP Required	Price
AB130	1.3 m	1.2 cbm	460	35 - 50	£6200
AB150	1.5 m	1.4 cbm	535	40 - 60	£6460
AB200	2.0 m	2.1 cbm	770	50 - 80	£8160
AB220	2.2 m	2.3 cbm	840	60 - 80	£9520
AB240	2.4 m	2.5 cbm	875	70 - 90	£10150

## Sovema TRIS Flail Mower/Scarifier with collection



● TRIS - H : High Tip

- Gives a clean finish on grass areas.
- Paddle type flails cut grass and blow it directly into hopper.
- Hydraulic unloading of hopper.
- Rear roller with scraper.
- Scarifying flail option.
- Twin belt drive.
- TRIS - H:  
1.7m unloading height.  
Rear castor support wheels.

Grass Cutting Flail	
Scarifying Flail	



● TRIS - L : Low Tip

Model	Working Width		Overall Width		Weight kg	HP Required	Price	Code
TRIS L 120	1.2 m	48"	1.38 m	55"	445	25 - 35	£5600	A1
TRIS L 150	1.5 m	60"	1.65 m	66"	500	29 - 45	£5980	A1
TRIS L 180	1.8 m	72"	1.95 m	78"	540	35 - 60	£6300	A1
TRIS H 120	1.2 m	48"	1.38 m	55"	670	20 - 35	£8100	A1
TRIS H 150	1.5 m	60"	1.65 m	66"	740	25 - 45	£8690	A1
TRIS H 180	1.8 m	72"	1.95 m	78"	810	35 - 60	£9475	A1

Scarifying Flails	Price	Code
120 64 Flails + 32 Fans	£600	A1
150 80 Flails + 40 Fans	£710	A1
180 96 Flails + 48 Fans	£805	A1

Intermac BS Side Arm Flail Mower



● BS 82



● BS 72

- Suitable for grass and hedge cutting on banks, verges, general estate maintenance.
- Designed specifically for compact tractors up to 60hp.
- 0.7 m to 1.0 m flail head with reversible rotor (depending on model).
- Back to back flails.
- Self-contained hydraulic system driven off tractor PTO (540rpm).
- Rotor speed 3000 rpm.
- 3-lever control (BS 62); 4-lever control (BS 72/82).
- Folds tightly behind tractor.
- Models BS 72/82 have a bi-directional cutting head and will cut either side of the tractor. The cutting arm moves from side to side hydraulically.



● BS 82



● BS 62



● Fitting/Guard Kit

Model	Flail Width	Reach	Weight kg	HP Required	Price	Code
BS62	0.7 m	2.6 m	265	15 - 35	£6900	A1
BS72	0.8 m	3.0 m	280	20 - 45	£7750	A1
BS82	0.8 m	4.2 m	535	35 - 60	£11180	A1

Option	BS 62	BS 72/82
Tractor fitting kit inc. mesh guard	£475	£560

Optional Extra	Price	Code
Cutter bar head 1.2m	£2340	A1
Cutter bar head in lieu of flail	£830	A1
1.0 m head on BS 72/82	£335	A1
Electric Joystick Control	£1740	A1

## Dragone HFS Forestry Mulcher



- 360 degree swinging hammers.
- Heavy duty skids.
- Hydraulically adjustable rear cover.
- Manually adjustable guide bar.

Model	Working Width	Overall Width	Weight kg	HP Required	Price	Code
HFS 150	1.5m	1.7m	1110	70 - 100	£12700	A1
HFS 200	2.0m	2.2m	1500	80 - 120	£15730	A1

## Dragone TS Hydraulic Flail heads for excavators



- Hydraulic driven flail heads suitable for mounting on excavators.
- Hammer flails, suitable for scrub clearance.
- Connection bracket and hydraulic hoses not included - contact kilworth with excavator details for a quote.

Model	Working Width	Weight	Min Oil flow required	No. of hammers	Price	Code
TSL60	60cm	110kg	20 L/min	12	£2850	A1
TSL80	80cm	115kg	22 L/min	14	£2975	A1
TSLP100	100cm	151kg	30 L/min	16	£3400	A1
TSV110	110cm	226kg	40 L/min	12	£3800	A1

Intermac ST Sweeper



- *ST120/C with 3 point hitch and hydraulic tip options*
- The ST sweeper is designed to sweep and collect grass, leaves, litter and horse manure
- Standard machine is trailed and is fitted with manual tipping collection hopper.
- Driven from tractor PTO.
- Fully adjustable brush height.
- Gearbox and chain transmission.
- Hydraulic tipping hopper is optional and requires one double acting service.
- Floating linkage allows sweeper to follow ground contours.



● *Nylon brush with 4 replaceable sections*

Model	Working Width		Overall Width		HP Required	Price	Code
ST120/C	1.2 m	48"	1.5 m	60"	15 - 30	£3150	A1
ST150/C	1.5 m	60"	1.8 m	72"	15 - 30	£3650	A1



● *Optional Gulley Brush*

Optional Extra	Price	Code
Hydraulic Tip	£820	A1
3-point linkage mounted ST120	£350	A1
3-point linkage mounted ST150	£480	A1
Gulley Brush	£1045	A1

## RotoBurier



● 110L



● 126 with packer roller option.

- For use as a finishing machine on any area where a fine and level seedbed is required.
- Buries stones and debris to a max. depth of 150mm leaving fine soil on the surface.
- For tractors 20 - 60hp.
- Mechanical side shift.
- Replaceable inner skin over rotor.
- Mesh rear roller with cable scraper (Packer Roller option is shown in main picture).
- Easy access to blades.
- Slip clutch on pto shaft.
- Folding rear roller.
- High blade density gives optimum performance.
- Adjustable rear levelling board.

OPTIONS: Seeder Unit and Second Roller

Model	Working Width		Overall Width		Weight kg	HP Required	Price	Code
110L	1.1 m	43"	1.33 m	52"	250	18 - 20	£5340	A1
110M	1.1 m	43"	1.37 m	54"	320	20 - 30	£6050	A1
126M	1.26 m	49"	1.5 m	59"	400	24 - 40	£6820	A1
140M	1.4 m	56"	1.66 m	65"	450	30 - 50	£7225	A1
170M	1.66 m	65"	1.93 m	76"	490	38 - 60	£7930	A1

Optional Extras	Price	Code
Hydraulic Top Link	£330	A1
Packer Roller 110L/110M	£545	A1
Packer Roller 126M	£640	A1
Packer Roller 140M	£725	A1
Packer Roller 170M	£810	A1
Seeder Unit1 110L/110M	£2250	A1
Seeder Unit 126M	£2470	A1

Optional Extras	Price	Code
Seeder Unit 140M	£2720	A1
Seeder Unit 170M	£2960	A1
Smooth 2nd Roller 110M	£480	A1
Smooth 2nd Roller 126M	£530	A1
Smooth 2nd Roller 140M	£550	A1
Smooth 2nd Roller 170M	£585	A1

● Note: Packer Roller is in lieu of mesh roller.

## RotoBurier GreenPower P Series



- 206P with optional seeder unit.

- Heavy duty machine for creating a seedbed finish over larger areas.
- Buries stones and debris to a maximum depth of 230mm.
- For tractors 70 - 130hp.
- Heavy duty rotor and blades with oil filled hubs.
- Adjustable rear roller and rear levelling board.
- Replaceable inner skin over rotor.
- Slip clutch pto shaft
- With packer roller.
- Hydraulic roller & levelling board adjustment.



Model	Working Width	Overall Width	Weight kg	HP Required	Price	Code
186PH	1.86 m	2.14 m	1150	70 - 90	£15250	A2
206PH	2.06 m	2.34 m	1250	85 - 110	£16540	A2
226PH	2.26 m	2.54 m	1370	100 - 130	£18100	A2
250PH	2.50 m	2.78 m	1560	100 - 130	£20200	A2

Optional Extras		Price	Code
Seeder Unit	186	£4780	A2
Seeder Unit	206	£4990	A2
Seeder Unit	226	£5200	A2

## Sovema RB2/RP2 Rotary Cultivators



- *RP Model shown.*
- *Guards removed for clarity only.*
- Heavy duty rotary cultivator designed for commercial use.
- For cultivation in horticultural and landscaping applications.
- For tractors 12 - 50hp.
- Single speed gearbox and chain drive.
- Adjustable skids for depth control.
- Curved speed blades as standard (4 blades per flange – can be fitted with 6 blades per flange).
- Slip clutch on pto shaft.

Model	Working Width		Overall Width		Weight kg	HP Required	Price	Code
RB2 100	1.0 m	40"	1.12 m	44"	170	12 - 25	£2050	A1
RP2 120	1.2 m	48"	1.32 m	52"	265	18 - 30	£2325	A1
RP2 140	1.4 m	56"	1.52 m	60"	280	24 - 40	£2370	A1
RP2 150	1.5 m	60"	1.62 m	64"	290	26 - 45	£2480	A1
RP2 160	1.6 m	63"	1.7 m	67"	305	30 - 50	£2625	A1

● Overall width excludes side guards. Guards add 25cm each side.

## Sovema REC 2/RTX Rotary Cultivators



● REC 2 Model shown. ● Guards removed for clarity only.

- For horticultural and landscaping applications.
- For tractors 35 - 150hp.
- 4 speed gearbox and chain in oil drive (Gear drive option to order).
- Adjustable skids for depth control.
- Curved speed blades as standard (6 per flange).
- Slip clutch on pto shaft.
- RTX has double skin frame for heavy duty applications.

Model	Working Width		Overall Width		Weight kg	HP Required	Price	Code
REC 2 180	1.8 m	71"	1.9 m	76"	385	45 - 65	£4200	A1
REC 2 200	2.0 m	79"	2.1 m	84"	460	55 - 70	£4500	A1
RTX2- 200	2.0 m	79"	2.1 m	84"	640	65 - 90	£6490	A1
RTX2- 230	2.3 m	90"	2.4 m	95"	690	80 - 100	£6890	A1
RTX2- 250	2.5 m	98"	2.6 m	103"	760	90 - 120	£7950	A1
RTX2- 300	3.0 m	118"	3.1 m	123"	870	100 - 150	£8250	A1



● RTX 200

Optional Extras (RTX)		Price	Code
Cage Roller	200	£1310	A1
Cage Roller	230	£1500	A1
Cage Roller	250	£1550	A1
Cage Roller	300	£1695	A1

● Overall width excludes side guards. Guards add 25cm each side.

## RotoHarrow MTZ



- *Optional seeder unit for applying grass seed or fertiliser in one pass.*

- Rotary Harrow for creating a fine, level seedbed.
- Suitable for tractors from 12hp to 40 hp.
- Lightweight, robust design and low power consumption - larger machines can be handled by smaller tractors.
- High speed, contra-rotating rotors (each with 2 tines) spaced at only 135mm to give a fine tilth.
- All rotors are gear driven and are mounted on 2 widely spaced bearings for long life and quiet running.
- All drive components in oil filled trough - low maintenance.
- Fully adjustable depth control.
- Complete with rear roller and front levelling bar.
- Optional seeder unit has positive chain drive from rear roller and remote seed shut-off lever.



Model	Working Width	Overall Width	Weight kg	HP Required	Price	Code
MTZ 135	1220 mm	1350 mm	220	15 - 25	£3980	A1
MTZ 150	1400 mm	1500 mm	250	18 - 30	£4160	A1
MTZ 170	1550 mm	1700 mm	280	22 - 40	£4375	A1

Optional Extras	Hopper Capacity	Price	Code
Seeder Unit SMG 135	60 litres	£2025	A1
Seeder Unit SMG 150	68 litres	£2270	A1
Seeder Unit SMG 170	80 litres	£2500	A1
Seeder unit price only applies when ordered with machine			

### No cost option

Crumbler roller in lieu of mesh roller

## Sovema ERL3/ERX2 Rotary Harrows



● ERL3 150



● ERX

- For seedbed preparation in horticultural and landscaping applications.
- Single speed 540 rpm gearbox (4-speed on ERX2).
- Adjustable rear levelling bar.
- Round tine holders for added stone protection.
- Rear cage type roller as standard.
- Oversize rotor bearings for long life.

Model	Working Width		Overall Width		Weight kg	HP Required	Price	Code
ERL3 130	1.3 m	51"	1.37 m	54"	372	24 - 35	£4395	A1
ERL3 150	1.5 m	59"	1.57 m	62"	400	30 - 45	£4700	A1
ERL3 170	1.7 m	67"	1.77 m	70"	434	40 - 50	£4890	A1
ERL3 190	1.9 m	76"	1.97 m	78"	470	45 - 65	£5230	A1
ERX2-200	2.0 m	80"	2.1 m	82"	630	50 - 80	£6450	A1
ERX2-250	2.5 m	100"	2.6 m	102"	710	60 - 90	£7020	A1
ERX2-300	3.0 m	120"	3.1 m	124"	790	80 - 100	£7540	A1

Optional Extras		Price	Code	Optional Extras		Price	Code
Automatic Torque Limiter	ERX	£370	A1	Packer Roller in Lieu of Cage	130	£475	A1
1000rpm PTO	ERX	£390	A1	Packer Roller in Lieu of Cage	150	£535	A1
Drill Linkage	ERX	£1550	A1	Packer Roller in Lieu of Cage	170	£620	A1
				Packer Roller in Lieu of Cage	190	£710	A1
				Packer Roller in Lieu of Cage	200	£1130	A1
				Packer Roller in Lieu of Cage	250	£1220	A1
				Packer Roller in Lieu of Cage	300	£1320	A1

## TT Hydraulic Tipping Trailer



- **TT2000**
- Rear tipping trailer.
- Steel sides are hinged and removable.
- Adjustable front jack.

Model	Body Size	Tyre Size	Capacity	Price	Code
TT1000	1.8m x 1.2m	23/8.50x12	1000kg	£2080	A1
TT2000	2.4m x 1.5m	23/8.50x12	2000kg	£2480	A1

Optional Extras	Price	Code
Mesh extension sides TT1000	£525	A1
Mesh extension sides TT2000	£620	A1



- *TT1000 with optional mesh sides*

Negri R70 Bio Shredders



- Suitable for wood and brash.
- Disc rotor with 1 steel blade.
- 50mm max wood diameter.
- 2 transport wheels.
- Discharge 650mm above ground.
- Output 2-3m³/hour.

Model	Specification	Weight kg	Price	Code
R70B	Petrol Engine Honda GX160 5.5hp	70	£1430	A1

Negri R95 Bio Shredders



- Suitable for wood and brash.
- Rotor with 8 reversible hammers and 1 steel blade.
- 70mm max wood diameter.
- 2 transport wheels on engine driven version.
- Discharge 1270mm above ground.
- Output 3-4m³/hour.

Model	Specification	Weight kg	Price	Code
R95B	Petrol Engine Honda GX160 5.5hp	90	£1920	A1
R95T	Tractor mounted, PTO driven	110	£2280	A1

## Negri R225 Bio Shredders



- Suitable for wood and brash.
- Rotor with 8 reversible hammers and 2 steel blades.
- 90mm max wood diameter.
- 2 transport wheels on engine driven version.
- Discharge 1550mm above ground.
- Adjustable discharge pipe.
- Output 7m<sup>3</sup>/hour.
- Hydraulic feed roller.

Model	Specification	Weight kg	Price	Code
R225B	Petrol Engine Honda GX390	215	£5700	A1
R225B15	Petrol Engine Honda iGX440, No Stress system	225	£7270	A1
R225B150	Petrol Engine Honda iGX440, No Stress system, Road tow chassis.	350	£9180	A1
R225T	Tractor mounted PTO driven	225	£5230	A1

## Negri R240 Bio Shredders



- Suitable for wood and brash.
- Rotor with 16 reversible hammers and 4 steel blades.
- 90mm max wood diameter.
- 4 transport wheels on engine driven version.
- Discharge 1750mm above ground.
- Adjustable discharge pipe.
- Output 8.5m<sup>3</sup>/hour.
- Hydraulic feed roller.

Model	Specification	Weight kg	Price	Code
R240B15	Petrol Engine Honda iGX440, No Stress system, 4 wheels	330	£9130	A1
R240B150	Petrol Engine Honda iGX440, No Stress system, Road tow chassis	420	£10160	A1
R240T	Tractor mounted PTO driven.	330	£6320	A1

## Negri R255 Bio Shredders



- Suitable for wood and brash.
- Rotor with 20 reversible hammers and 2 steel blades.
- 100mm max wood diameter.
- Centralised lubrication system for bearings.
- 2 transport wheels on engine driven version.
- Discharge 2125mm above ground.
- Adjustable discharge pipe.
- Output 10.0m<sup>3</sup>/hour.
- Hydraulic feed roller.

Model	Specification	Weight kg	Price	Code
R255TN	Tractor mounted, PTO, no stress system	420	£9300	A1
R255B210N	Petrol Honda GX630, No Stress, Road tow chassis	480	£12900	A1

## Negri R280 Bio Shredders



- Suitable for wood and brash.
- Rotor with 24 reversible hammers and 2 steel blades.
- Steel infeed conveyor and feed roller with speed adjustment.
- 150mm max wood diameter.
- Centralised lubrication system for bearings.
- Discharge 2280mm above ground.
- Adjustable discharge pipe.
- Output 13-18m<sup>3</sup>/hour.

Model	Specification	Weight kg	Price	Code
R280TN	Tractor PTO trailed, no stress system	630	£14600	A1
R280DKTRG	Kubota diesel D1105, no stress, road tow chassis	750	£24950	A1



● *VRIS*



● *VR180S*

## V Series Reversible Ploughs

- Width depth wheel.
- S versions have separate coulters and bar point.

Model	No. Furrows	Furrow Width	HP Required	Turnover	Price	Code
VR180	1	8"	12 - 25	Mech	£940	A1
VR180S	1	8"	12 - 25	Mech	£995	A1
VRIS	1	10"	18 - 30	Hyd	£1535	A1
VBIS	2	11"	35 - 50	Hyd	£2755	A1



## BR Plough

- Two furrow conventional plough.
- Depth wheel.
- 25cm (10") furrow width.
- Bar point.

Model	Weight kg	HP Required	Price	Code
BRS	130	30 - 50	£1190	A1



## SS Chisel Plough/Subsoiler

- For primary cultivation and loosening compacted ground.
- Solid legs with replaceable points.
- Depth wheels.
- Single leg subsoiler version available.

Model	Working Width	No. Legs	Weight kg	HP Required	Price	Code
SS 120	1.2 m 48"	3	75	16 - 22	£660	A1
SS 150	1.5 m 60"	5	100	24 - 35	£870	A1
SD 1		1	35	16 - 25	£445	A1

Agrex XL Fertiliser Spreader



● XL 250 standard



● XL 400 with salt/sand kit

- Single spinning disc pto driven.
- Plastic hopper with stainless steel outlet.
- Adjustable left/right/central spreading.
- Adjustable feed rate.
- Articulated agitator keeps the material flowing.



● Optional stainless steel spreading disc

Model	Capacity	Weight kg	HP Required	Price	Code
XL 250	200 litre	56	18 - 30	£895	A1
XL 400	320 litre	58	28 - 50	£990	A1

Optional Extras	Price	Code
Salt and Sand Kit	£95	A1
Remote control cable	£230	A1
Hydraulic remote control	£290	A1
Stainless steel spreading disc	£80	A1

## Single Disc Electric Salt Spreader



- Constructed from corrosion resistant materials.
- 12v Electric motors drive the feed auger and spreading disc.
- Independent control of disc speed and auger speed by means of control box mounted next to the operator.
- Plastic hopper from 70 and 120 litre models.
- Aluminium hopper from 250 litre models upwards.
- Feed auger ensures constant delivery of salt to the disc even with damp material.
- Basic unit can be mounted on pickups or trailers. Optional fitting kits available for tow ball mounting (shown top right) or tractor three point linkage mounting.
- Optional trailer chassis (shown top left) for towing behind cars, tractors, quad bikes or forklifts. (Not road legal).



Model	T70	T120	T250	T400
Hopper Size	70 litres	120 litres	250 litres	400 litres
Hopper material	Plastic	Plastic	Aluminium	Aluminium
Price	£1420	£1580	£2485	£2780
<b>Options</b>				
Cat 1 3pt linkage	£290	£290	£365	£365
Tow ball attachment	£295	£295	N/A	N/A
Trailer chassis	£890	£890	£890	N/A

## LSN and LP Snow Ploughs



### ● LSN

- Range of snow ploughs for tractors from 15-100HP.
- LSN models are 3 point linkage mounted and are suitable for reverse drive tractors or tractors with front linkage. A loader mounted version is also available (brackets not included).
- LP models have an integral lift cylinder and are designed to be fitted to the front of any tractor. (Connection plate included).  
For a price on fitting LP models please contact Kilworth.
- Rubber squeegee blade, sprung break-back system and hydraulic angling standard on all models. Manual angling no cost option.

### ● LP

Model	Width	Attachment type	Weight kg	Price	Code
LSN 1250	1.25m	3 point linkage or loader	150	£2170	A1
LSN 1500	1.50m	3 point linkage or loader	180	£2485	A1
LSN 1750	1.75m	3 point linkage or loader	210	£2735	A1
LSN 2000	2.00m	3 point linkage or loader	240	£3110	A1
LSN 2500	2.50m	3 point linkage or loader	380	£5050	A1
LP1-1250	1.25m	Front mounted with quick release plate	115	£2735	A1
LP1-1500	1.50m	Front mounted with quick release plate	135	£3110	A1
LP1-1750	1.75m	Front mounted with quick release plate	155	£3475	A1
LP1-2000	2.00m	Front mounted with quick release plate	190	£4080	A1
LP2-2000	2.00m	Front mounted with quick release plate	280	£4680	A1
LP2-2500	2.50m	Front mounted with quick release plate	310	£5890	A1

### Option

Pair of wheels

Price

£340

Code

A1

## GRE Backhoe



● GRE-19

- Compact backhoe for landscaping, golf courses etc.
- Joystick control.
- 3 point linkage mounted - simple to fit and remove.
- Can be used with tractor oil supply but pump and tank kit recommended.
- GRE-19 and 23 have side shift boom with manual locking (hydraulic option).
- Bucket extra.



● Side Shift 19 and 23



● Compact Dimensions

- The GRE Backhoes must not be fitted to the tractor without mechanical locking kit on the 3 point linkage.
- Please contact Kilworth for more information.

Model	Dig Depth	HP Required	Price	Code
GRE-15	1.5 m	12 - 30	£5650	A1
GRE-19	1.9 m	20 - 40	£6550	A1
GRE-23	2.3 m	30 - 50	£7950	A1

Optional Extras	Price	Code
Pump and Tank Kit	£875	A1
Hydraulic side shift lock 19/23	£565	A1

Bucket Options				NOTE: FOR GRE-23 BUCKETS ADD 10%		
Type		Price	Code	Type	Price	Code
Digging bucket	6"	£310	A1	Digging bucket 14"	£540	A1
Digging bucket	8"	£440	A1	Digging bucket 16"	£565	A1
Digging bucket	10"	£470	A1	24" Landscape GRE15/19	£595	A1
Digging bucket	12"	£505	A1	32" Landscape GRE19/23	£680	A1

SFK and CM Forklifts



● SFK



● CM9 DCL

- Tractor mounted forklift, ideal for growers, nurseries and local authorities.
- 3 point linkage mounted.
- Uses tractor hydraulic system.
- Extruded steel mast with roller bearings.
- Side shift and tilt standard.
- SFK and CM9 are manual lever control.
- CM16 has electric joystick control and twin lift cylinders mounted on outside of mast to give better view of forks.

Optional Extras	Price	Code
Electric control CM9/SFK	£1450	A1
Cable control CM9/SFK	£660	A1



● CM16

Model	Lift Capacity	Lift Height	Weight	HP Required	Price	Code
SFK 17	1700kg	3.2 m	380kg	50 - 70	£4300	A1
CM9 DCL	900kg	2.5m	270kg	35 - 80	£3830	A1
CM16 DBCH	1600kg	3.2 m	470kg	50 - 80	£5825	A1

## Goal Post Lifter for Rugby Posts.



- The Kilworth Goal Post Lifter is designed specifically for erecting or dismantling rugby and football posts
- Will safely handle steel, wood or aluminium posts.
- The goal post lifter will clamp the post, lift it vertically out of the ground and rotate it through 90° in order to place it on the ground or onto a trailer.
- The whole operation takes place from the tractor cab in complete safety.
- The rubber lined post clamps are hydraulically operated and can cope with tapered posts.
- The Goal Post Lifter is available as a complete unit including the forklift. Please note the forklift prices given below include an additional 2 double acting services and support feet for use with the lifter.

Forklift Model includes kit to operate GPL	Forklift Price	Goal Post Lifter Price	Total Price	Code
SFK17 with manual lever/cable controls	£5750	£2920	£8670	A1
CM16 with electric control	£6625	£2920	£9545	A1

## Goal Post Lifter for Football Goals



- Fits to front loader for lifting football goals out of the ground safely and without damage.
- Goals can be placed on the ground or on a trailer.
- Folds for road transport.
- Requires double acting spool valve on loader.

Model	Max Lift	Weight	Price	Code
GPL200	300kg	400kg	£3835	A1



## FR Flat Ballast Roller

- Trailed flat roller for grass land and cultivated ground.
- Can be filled with water for extra weight.
- 510mm drum diameter.

Model	Width	Weight Empty	Weight Ballasted	Price	Code
FR 5	1.5 m	230 kg	550 kg	£1100	A1
FR 6	1.83 m	350 kg	650 kg	£1240	A1

## SH Spring Tine Grass Harrows



- Suitable for use on pasture land and sports pitches.
- Renovate grass/turf by aeration and dethatching.
- Spreads manure and distributes nutrients evenly.
- Adjustable Tine angle.

Model	Width	Weight	HP Required	Price	Code
SH150	1.5m	180kg	16.30	£1320	A1
SH200	2.0m	230kg	25-50	£1530	A1



## Mounted Chain Harrows

- Medium grass chain harrow mounted in 3 point linkage frame.
- Renovate pasture by aeration and dethatching.
- Spreads manure and distributes nutrients.

Model	Working Width	Length	Weight	Price	Code
CH6M	6' (1.8m)	7'6" (2.3m)	142 kg	£990	A1
CH8M	8' (2.4m)	7'6" (2.3m)	180 kg	£1120	A1



## BR Transport Box

- Mechanical tip.
- Steel scraper blade.
- Rear door can be removed.



Model	Width	Depth	Weight	Price	Code
BR120	1.2 m	0.75m	105kg	£515	A1
BR150	1.5 m	0.75m	125kg	£550	A1

## Forestry Grab



- 3 Point linkage mounted grab for skidding timber.
- Catagory 1/2 linkage
- Available with or without rotator.

Model	Rotator	Grab Size m	Weight kg	Price	Code
KFG300	No	1.1	200	£3100	A1
KFG300R	Yes	1.1	215	£3650	A1

Option Extra	Price	Code
Change over valve for rotator	£295	A1

## Tajfun Forestry Winches

- 3 point linkage mounted PTO driven forestry winches.
- Mechanical drive with manually operated brake and clutch mechanism.
- AHK versions have hydraulic control of clutch and brake with push button control box on 4.5m cable
- Supplied with PTO shaft, 2x2.0m choker, 1x slider.
- Supplied with standard rope



Model	Pulling Force	Standard rope length/diameter	Weight w/o rope	Tractor size	Price	Code
EGV35A	35kN	60m / 9mm	240kg	30-55 HP	£2020	A1
EGV45A	45kN	60m / 10mm	330kg	40-75 HP	£2335	A1
EGV55A	55kN	70m / 11mm	345kg	47-80 HP	£2915	A1
EGV65A	65kN	80m / 12mm	515kg	55-95 HP	£3605	A1
EGV85A	85kN	90m / 13mm	570kg	65-135 HP	£4245	A1
EGV45AKH	45kN	60m / 10mm	350kg	40-75 HP	£4170	A1
EGV55AHK	55kN	70m / 11mm	365kg	47-80 HP	£4655	A1
EGV65AHK	65kN	80m / 12mm	540kg	55-95 HP	£5370	A1
EGV85AHK	85kN	90m / 13mm	590kg	65-135 HP	£6110	A1
EGV105AHK	105kN	100m / 15mm	800kg	>110 HP	£8590	A1
EGV65AHK ZS SG	65kN	80m / 12mm	550kg	55-95 HP	£7100	A1
DGV2x55AHK	55kN	2x 70mm / 11mm	690kg	65-110 HP	£8750	A1

Optional Extras	Price	Code
Hydraulic powered upper pulley EGV55-85AHK	£998	A1
Hydraulic powered upper pulley EGV105AHK	£1210	A1
Radio remote control. AHK versions only	£785	A1
Radio remote control Professional (Telenot). AHK versions only	£1480	A1
Choker chain 2.0m	£38	A1
Choker chain 3.0m	£49	A1
Slider	£19	A1
Wire rope 9mm	£3.03/m	A1
Wire rope 10mm	£3.36/m	A1
Wire rope 11mm	£3.82/m	A1
Wire rope 12mm	£4.25/m	A1
Wire rope 13mm	£4.58/m	A1
Wire rope 14mm	£4.89/m	A1

## Tajfun RCA Firewood Processors



- Professional Firewood Processor. RCA 380 is manual control. RCA 400 has joystick control.
- PTO driven with optional electric or diesel engine power packs.
- 16" capacity with 15 tonne splitter force.
- Fixed outfeed conveyor as standard with swinging option.

Model	Weight	Price	Code
RCA380 with fixed conveyor and 4 way splitting wedge	1030kg	£10995	A1
RCA400 Joy with fixed conveyor and 4 way splitting wedge	1090kg	£13120	A1
DM1511 Log Loader	160kg	£1875	A1
RN3000S Live Log Deck stationary version	700kg	£6650	A1
RN3000M Live Log Deck mobile version max 25kmh	750kg	£7300	A1
EP12 3 ph 11kW Electric Power pack	198kg	£2855	A1
DP26 Diesel engine power pack. 26kW	390kg	£7985	A1
XE10 Sawdust extractor hydraulic	35kg	£1080	A1
XE10 Sawdust extractor 240V electric 1.1kW	30kg	£790	A1

Other Optional Extras	Price	Code
Swinging discharge conveyor for 400 joy	£765	A1
Wide angle PTO shaft in lieu of standard shaft	£745	A1
2 Way Splitting Wedge	£180	A1
4 Way Splitting Wedge	£220	A1
6 Way Splitting Wedge	£300	A1
8 Way Splitting Wedge	£370	A1
12 Way Splitting Wedge	£430	A1



## Tractor Mounted Log Splitters

- Vertical hydraulic log splitter.
- Uses tractor hydraulics.
- Spool valve control with 2 handed operation for safety.
- Tapered wedge for efficient splitting.
- Automatic return stroke



● LS13

Model	Power	Clearance	Weight	Price	Code
LS8	8T	450mm	125kg	£890	A1
LS10	10T	570mm	150kg	£1165	A1
LS13	13T	830mm	230kg	£1350	A1

## Iris Electric Log Splitter



- Hydraulic Log splitter suitable for home or professional use.
- Plugs into 13amp 240V supply.
- 8 tonne splitting power.
- 2 lever control for safe and efficient splitting.
- Adjustable wedge to accommodate longer logs.
- 2 speed hydraulic cylinder.

Optional Extra	Price	Code
4 Way Splitter	£98	A1

Model	Supply	Motor	Splitting force	Price	Code
IRIS M	240V	3HP/2.2KW	8 tonnes	£1240	A1



## Rosselli Saw Benches



● *Grizzly 700R*

- PTO Driven Saw Benches available with swinging or sliding table.
- Grizzly 700R and 600m has a swinging table and is suitable for logging.
- Speedy 700R has sliding table for cutting all types of wood.
- Large diameter balanced saw blade for smooth running and efficient cutting.
- Safety stop lever which can be reached from the sawing position.
- Full guarding for effective and safe operation.



● *Speedy 700R*

Model	Blade Dia.	Table	Cut Depth	Price	Code
Grizzly 700R	700mm	swinging	240mm	£1270	A1
Speedy 700R	700mm	sliding	245mm	£1320	A1
Grizzly 600M 240v	600mm	swinging	190mm	£1330	A1
Two way 3 point linkage and PTO (speedy only)				£110	A1
Tungsten Tip Blade in Lieu of Standard Blade				£145	A1

Kilworth Forwarding Trailer with Crane



- 2 models available, suitable for compact and all terrain tractors.
- Rocking beam axles fitted with 26x12.00-12 tyres.
- Flop down stabilisers for increased stability.
- Moveable axle and bolsters.
- 3 pairs of bolsters as standard.
- 3.5m reach crane with lever controls, gab and rotator.

Model	Capacity	Load length	Width	Price	Code
KFT25	2.5t	2.5m	1.5m	£9700	B2
KFT30	3.0t	3.0m	1.5m	£10200	B2

Other Optional Extras	Price	Code
4.1m reach crane in lieu of 3.5m. KFT30 only.	£990	B2
Joystick control on crane valve block	£880	B2
Brakes on front axle	£570	B2
Hydraulic drive to wheels (requires 2x double acting spool on tractor)	£2100	B2
Pair of bolsters with mounting bracket	£450	B2

## Fliegl SS/FA Pan Mixers



● *FA Model*



● *800 Favorite*

- Will mix concrete, compost, soil, cattle feed.
- Forced mixing by rotating paddles within the pan.
- Thorough and quick mixing.
- Empties through discharge chute in floor of mixer.
- Tractor mounted, pto driven as standard.
- Hydraulic drive kit available for mounting on forklifts.
- Electric drive kit for stationary applications.
- Favorite models specially designed for farmers own use.
- FA models have hydraulic loading shovel.

Model	Capacity	HP Required	Price	Code
600 Favorite	500 litres	60	£2835	A2
800 Favorite	750 litres	90	£3045	A2
602 SS	600 litres	70	£3650	A2
802 SS	800 litres	90	£3980	A2
1002 SS	1000 litres	100	£5150	A2
400 FA	400 litres	60	£4260	A2
600 FA	600 litres	80	£5275	A2

- For more information please ask for separate "Fliegl Mixers" Price List

**Machinery Manufactured to customers specifications.**

Kilworth are able to design and fabricate machinery for special applications. Contact us with your requirements and we will provide you with a quote. The pictures below show 2 machines which have been designed and built following customers request. Price on application.



- Inter-row mower for maintaining grass between strawberry tables



- Pan mixer with loading system.





# Kilworth

**Importers and Manufacturers of Agricultural,  
Horticultural, Landscaping, Groundscare  
and Construction Machinery.**