

Davies Implements Ltd
01267 237726
www.daviesimplements.co.uk
sales@daviesimplements.co.uk



C-Dax Product & Price Book

2014



PLEASE NOTE:

Prices shown in brochure are not correct.
We are waiting the 2018 brochure & price list.

CONTENTS

SPRAY

SPRAYRIDER™	
SprayRider™	2
Dual Tank Kit SprayRider™	3
SPRAYERS	
Spray-On 200	4
Spray-On 400	5
WEED WIPERS	
Eliminator	6
OPTIONS	
MultiBoom	7
3 & 4m Booms	7
Controlled Droplet Application (CDA)	8
CDA Booms	9
CDA Hydromiser	9
Lances and Spray guns	10
QuickSmart™ Attachment System	11
Tip Calibration Guide	12

SPREAD

SPREADERS	
SpreadMaster	13
SlugMaster	14

ACCESSORIES

BoxMate	15
ATV Carrier Mat	15
Implement Holder	16
Gun Rack	16
Universal Fitting Windscreen	16
Mud Flap Kit	16
Terms & Conditions—Summary	17



The C-Dax Difference

Providing our customers with innovative, functional and quality products has always been what we live for. While we strive to deliver the best possible pricing on a premium product, we have never set out to design or build the cheapest product. We believe that irrespective of where you live in the world, our customers want the best products at the best possible price.

C-Dax products are all about points of difference. We have no desire to position our brand in the generic space where everything is built down to a price. The value of a C-Dax product is recognised internationally.

Our designers are required to spend time in the market place in order to understand your operating conditions and the performance standard our products must meet. Our objective is to always exceed the expectations of our customers with our products, service and support. At the end of the day, the last thing we want is to let you down.

We are aware that our brand represents quality and of the pride our people have in C-Dax. We are also aware how easily the value of a brand can be eroded. Anyone in business would be stretching the truth to claim that they never have product failures—we occasionally do. The difference is that C-Dax will never abandon its customers—you have my word on that.

Thank you for considering the purchase of a C-Dax product, or if you are already a customer, a special thank you for your support. You have made the correct choice.



Greig Shearer
Managing Director, C-Dax Ltd






SprayRider™

Designed and engineered specifically for the ATV, SprayRider™ features unique safety features such as low centre of gravity and internal tank baffles dramatically reduce the destabilising effect of liquid surge while the ATV is in motion. Patented valves eliminate the underbody balance hose but preserve the unique C-Dax feature of total evacuation of tank contents on all terrain. A two litre on-board fresh water tank provides a handy reservoir to rinse hands on the SprayRider™ 50 & 80, and doubles as a hose storage feature, while the robust lance with adjustable nozzle caters for a range of different jobs.

The convenient handlebar mounted on/off switch allows for ease of use and increases operator safety.

Front or rear mounting alternatives for SprayRider™ 50 & 80 (depending on bike) ensure that more control can be exercised over the critical consideration of weight distribution, while the Dual Tank Kit allows increased carrying capacity without compromising stability.



- 1 New generation tank design fits more ATVs than ever before
- 2 Robust spray lance with adjustable nozzle to cater for different jobs
- 3 Two litre on-board fresh water tank provides a reservoir to rinse hands and doubles as a hose storage feature
- 4 Patented valves eliminate the need for an underbody balance hose, but preserve the unique C-Dax feature of total tank evacuation on all terrain
- 5 Deep one-piece baffle reduces liquid surge, especially on steep terrain
- 6 Low centre of gravity for enhanced operator safety
- 7 Quarter turn lid reduces the likelihood of chemical leakage
- 8 On-demand 12-volt positive displacement diaphragm pump
- 9 Pump cover protects electrics
- 10 Multiple filters minimise nozzle blockages



SprayRider™ 50 & 80

SPECIFICATIONS:

- 50 Litre front or rear mounting (depending on bike).
Weight: 12.5kg empty; 62.5kg full
- 80 Litre rear mounting only
Weight: 13.5kg empty; 93.5kg full
- 580psi, 8mm delivery hose
- 12-volt DC pump connects to ATV battery
- 7.6Lpm (60psi) pump

COMES WITH:

- 10m of delivery hose and rugged spray lance
- Wiring loom with fuse and handlebar mounted on/off switch
- Ratchet tie-down strap
- 2 Litre fresh water tank



Dual Tank Kit 50 & 80

SPECIFICATIONS:

- 50 Litre front or rear mounting (depending on bike)
Weight: 10kg empty; 60kg full
- 80 Litre rear mounting only
Weight: 11kg empty; 90kg full
- 13mm feed pipe

COMES WITH:

- Feed pipe and dry break connectors
- Isolator valves
- Ratchet tie-down strap
- 2 Litre fresh water tank



1. The safest ATV sprayer—ever!

Lowest centre of gravity available in an ATV sprayer. Internal baffle prevents sudden liquid movement when in motion.

2. Complete tank evacuation

‘Smart’ suction valves ensure complete tank evacuation on any angle.

3. On-board two litre fresh water reservoir

(SPRAYRIDER™ 50 & 80 ONLY)
Provides a tank to rinse hands or components. Doubles as storage for the spray hose.

4. Pump cover to prevent damage

Cover protects the pump from damage and the elements.

OPTIONS AVAILABLE		WARNING: DO NOT EXCEED THE MAXIMUM WEIGHT LOADING RECOMMENDED BY THE ATV MANUFACTURER
PART NO	DESCRIPTION	ERRP + VAT
1001	SprayRider™ 50	£625.00
1002	SprayRider™ 80	£650.00
1003	Dual Tank Kit 50	£405.00
1004	Dual Tank Kit 80	£420.00



CDA BOOM NOT INCLUDED

Spray-On 200

The Spray-On 200 showcases the latest in Generation 2 styling and design innovations at a price you can afford. Whether you need a spot sprayer, flatdeck or boom sprayer, the Spray-On 200 has the flexibility to suit your requirements.

Trailed sprayers are subject to various forces generated by the dynamic effect of liquid in motion. These forces need to be isolated at the trailer and not transferred to the vehicle. To ensure the stability of the vehicle is not compromised, the Spray-On 200 trailed is well balanced, in proportion and has a low centre of gravity. The single axle is robust in construction and individually sprung to minimise shock transfer to the vehicle. As trailed sprayers are often used when conditions are too wet to permit access with heavier equipment, the Spray-On 200 trailed is fitted with mudguards as standard.

The uniquely designed shape of the Spray-On 200 ensures that it can perform well in a flat deck situation, remaining stable and withstanding the rigours of intensive use while remaining lightweight and easy to handle to ensure the tank is readily transportable.

An easily accessible moulded two litre fresh water handwash tank will help you to clean up after spraying.



TRAILED



FLATDECK

SPECIFICATIONS:

- Weight (tank) 29kg empty; 229kg full (Flatdeck option)
- 580psi, 8mm delivery hose
- Dimensions: length 820mm; width 740mm; height 475mm (Flatdeck tank only)

COMES WITH:

- 7.6Lpm (60psi) internal bypass pump
- 10m of delivery hose
- Wiring loom with on/off switch
- Stainless steel spray lance

CONFIGURE:

- Tyres—turf or knobbly
- Booms (see pages 7–9)

1. Low profile tank for greater stability

Ensures low centre of gravity for maximum vehicle stability on uneven terrain.

2. Tank sump

Chemical is evacuated from a unique sump in the bottom of the tank.

3. Covered pump

Recessed chamber provides maximum pump protection.

4. Heavy-duty steel frame

(TRAILED ONLY)

For maximum strength Superior C-Dax suspension provides a stable spraying platform.

5. Moulded contents scale

Allows operator to easily gauge tank contents.

6. Fresh water handwash tank

Easy clean up and doubles as hose and lance storage.

OPTIONS AVAILABLE		WARNING: DO NOT EXCEED THE MAXIMUM WEIGHT LOADING RECOMMENDED BY THE ATV MANUFACTURER
PART NO	DESCRIPTION	£RRP + VAT
1086	Spray-On 200 Flat Deck	£695.00
4500-9310	Trailer kit to suit Spray-On 200 tank	£1095.00



12-VOLT MODEL—CDA BOOM NOT INCLUDED



ENGINE DRIVEN MODEL

Spray-On 400

The C-Dax Spray-On 400 is available as a flatdeck or trailed sprayer and comes as a 12-volt or high pressure engine driven pump configuration. The modular design means that there is a Spray-On 400 flexible solution to your spraying requirements.

Trailed sprayers are subject to various forces generated by the dynamic effect of liquid in motion. These forces need to be isolated at the trailer and not transferred to the vehicle. To ensure the stability of the vehicle is not compromised, the Spray-On 400 trailed is well balanced, in proportion and has a low centre of gravity. The single axle is robust in construction and individually sprung to minimise shock transfer to the vehicle. As trailed sprayers are often used when conditions are too wet to permit access with heavier equipment, the Spray-On 400 trailed is fitted with mudguards as standard.

The sturdy mounting frame ensures maximum protection for the tank from impact and abrasion.

SPECIFICATIONS:

- Weight:
12-Volt Flat Deck—115kg empty; 515kg full
- Dimensions:
12-Volt Trailed—length 2000mm; width 1580mm; height 1050mm
Flatdeck—length 1700mm; width 965mm; height 754mm

COMES WITH:

- Pump (12-volt or engine driven)
- 10m of 580psi/10mm delivery hose and robust spray lance (12-volt models only)
- Wiring loom with on/off switch (12-volt models only)
- Mudguards and knobby tyres



400 LITRE TRAILED WITH
OPTIONAL CDA BOOM
(SEE PAGE 10)

CONFIGURE:

- Booms (see pages 7-9)
- Hose reels (see page 10)

1. Sturdy mounting frame

Protects tank from impact and abrasion.

2. Low profile tank for greater stability

Ensures low centre of gravity for maximum vehicle stability on uneven terrain.

3. Tank sump

Chemical is evacuated from a unique sump in the bottom of the tank.

4. Covered pump

Recessed chamber provides maximum pump protection (12-volt models only).

5. Moulded contents scale

Allows operator to easily gauge tank contents.

OPTIONS AVAILABLE		WARNING: DO NOT EXCEED THE MAXIMUM WEIGHT LOADING RECOMMENDED BY THE ATV MANUFACTURER
PART NO	DESCRIPTION	£RRP + VAT
1092	Spray-On 400 Flat Deck	£1450.00
4500-9300	Trailer kit to suit Spray-On 400 tank	£1350.00



SPRAYRIDER™ AND BOOM NOT INCLUDED

Eliminator Weed Wiper

The C-Dax Eliminator trailed weed wiper dramatically reduces damage to your pasture by putting chemical on the weeds rather than the whole pasture. Quality C-Dax construction means an extremely robust, trailed weed wiper designed to control weeds while preserving pasture. The electronic chemical flow controller allows operators to quickly adjust the amount of chemical being pumped to the wiping carpets to suit the level of infestation. A pressurised feed system ensures equal amounts of chemical are pumped to either side of the wiper regardless of the angle of operation.

The new Winged Eliminator gives an impressive overall width of 4.30m to save you even more time and allows easy control of weeds on banks and edges of waterways without the risk of runoff or spraydrift.

SPECIFICATIONS:

- Wiping width: Eliminator 2.3m; Winged Eliminator 4.3m
- Self-angling wings with dual or independent left and right wing operation
- Application rates between 3.9–40.2L/ha
- Four height settings, from 85–385mm (approx)
- Floating wings sledge height on ends 150mm


- Angled woollen wiper arms for maximum contact and efficiency
- Patented feed system for even chemical distribution on the roughest terrain
- Weight: 70kg (Eliminator)

COMES WITH:

- 4m of delivery hose
- Electronic flow rate controller
- Dry break couplers and plumbing kit



ELIMINATOR



WINGED ELIMINATOR



OPTIONAL ON-BOARD TANK

1. Electronic flow controller included

Allows application rate adjustment while wiping.

2. Pressurised chemical feed system

Ensures even quantities of chemical are pumped to all wiping areas.

3. Angles wiping carpets

Specifically angled wiper arms rotate the weed for better chemical coverage.

4. Heavy-duty galvanised frame

For maximum strength and corrosion resistance.

5. Front mounted 'bruise' bar

Scrapes the weed stem for faster chemical absorption.

OPTIONS AVAILABLE		WARNING: DO NOT EXCEED THE MAXIMUM WEIGHT LOADING RECOMMENDED BY THE ATV MANUFACTURER
PART NO	DESCRIPTION	£RRP + VAT
1015	Eliminator	£1695.00
1016	Winged Eliminator	£2650.00
1017	Eliminator Tank 50L(pump included)	£395.00
4500-9350	Wing Extensions to suit Standard Eliminator (must be a model with extension brackets added)	£1150.00



SPRAYRIDER™ AND QUICKSMART™ FRAME NOT INCLUDED



MultiBoom

The MultiBoom is a pressure nozzle spray boom featuring independent nozzle control that allows operators to easily adjust the overall spray width from 1.5–4.5m. The compact, robust design make it a popular choice among many of todays farmers and growers.

SPECIFICATIONS:

- 10mm, 580psi delivery hose
- Boom width: 1500mm
- Boom Weight: 8kg

COMES WITH:

- 2.5m of delivery hose
- Nozzle isolator valves
- Dry break couplers and plumbing kit
- Non-drip diaphragm check valves

3 & 4m Booms

C-Dax folding spray booms incorporate a number of practical features such as breakaway and non-drip nozzles. Two sizes are available to suit any weed management programme.

SPECIFICATIONS:

- 110° wide range spray tips as standard
- 500mm nozzle spacing
- 10mm, 580psi delivery hose
- Boom weights: 3m: 9kg; 4m: 12kg
- Spring loaded self-centering breakaway arms

COMES WITH:

- 3m of delivery hose
- Dry break couplers and plumbing kit
- Non-drip diaphragm check valves



MULTIBOOM
(SPRAYRIDER™ & QUICKSMART™ FRAME NOT INCLUDED)



3M BOOM
(SPRAYRIDER™ & QUICKSMART™ FRAME NOT INCLUDED)

1. Fit and remove in seconds

Unique QuickSmart™ Attachment frame (optional) allows operators to fit or remove booms in seconds—no nuts, bolts, or spanners!
(See page 11 for details)

2. Non-drip nozzles with built in protection

Diaphragm check valves prevent dripping and shrouds to protect against impact damage.

3. Independent nozzle on/off valves (MULTIBOOM ONLY)

Individual nozzles can be turned off to vary the spraying width from 1.5–4.5m. Adjustable off-set nozzles make the MultiBoom ideal for spraying culverts or drains.

4. Simple height adjustment

Ensures optimum spraying height is able to be maintained.

OPTIONS AVAILABLE		WARNING: DO NOT EXCEED THE MAXIMUM WEIGHT LOADING RECOMMENDED BY THE ATV MANUFACTURER
PART NO	DESCRIPTION	ERRP + VAT
1018	MultiBoom (See page 11 for Quicksmart™ Attachment options)	£235.00
4500-1050	Standard type mounting system for MultiBoom	£60.00
1019	3m Boom (See page 11 for Quicksmart™ Attachment options)	£470.00
1020	4m Boom (See page 11 for Quicksmart™ Attachment options)	£525.00



Controlled Droplet Application (CDA)

Pioneered in New Zealand by C-Dax Ltd, CDA technology works by eliminating the large droplets, which contain the most chemical and are prone to "run-off" and exercising similar control over finer droplets which are prone to drift. Controlled Droplet Application (CDA) enables farmers and growers to cover a vastly greater area with smaller tank capacity, thereby vastly reducing fill and mix times.

From an environmental perspective, CDA offers the advantage of reducing ground contamination and spray drift.


Many farmers and growers who have used CDA for a number of years observe that they are able to maintain improved control because CDA offers a larger "spraying-window" than conventional pressure nozzle technology.

Research reports suggest strongly that there is an optimum droplet size for spraying. CDA generates droplets which fall almost entirely within the ideal spectrum for optimum cover, while limiting run-off and spray drift.

Each CDA "Rotary Atomiser" can be adjusted to generate an optimum droplet size for the task being undertaken at the time. Reliable and low maintenance, CDA will provide your farming operation with increased efficiency and effective use of chemical.

ABOVE: UNIFORM DROPLETS CREATED FROM THE CDA ATOMISER

BELOW: RANDOM DROPLETS FROM PRESSURE NOZZLE SPRAYER



Conventional Spraying vs CDA Spraying

CONVENTIONAL SPRAYING

Goldline 800L with
8m pressure nozzle boom

97L/ha

One tank=8ha



CDA SPRAYING

C-Dax Spray-On 200L with
3.6m CDA boom

27L/ha

One tank=8ha



**FOLLOW LEADING
CHEMICAL
MANUFACTURERS
CDA APPLICATION
RATES**



SPRAYRIDER™ NOT INCLUDED



CDA Booms

CDA offers considerable advantages over conventional pressure nozzle spray booms. This advanced technology significantly reduces off target movement delivering reduced chemical costs and less time.

SPECIFICATIONS:

- 1.8m spraying width per atomiser
- 580psi, 10mm delivery hose
- Boom weights: 3.6m model: 12kg; 5.4m model: 32kg

COMES WITH:

- 6m of delivery and bypass hose
- Dry break couplers and plumbing kit
- Wiring loom and on/off control box
- Pressure regulator



CDA 5.4M BOOM ONLY
(FOR 400L SPRAYER SEE PAGE 5)

1. Reduced spray drift and run off

Optimum size droplets less likely to run off or drift.

2. Easy to calibrate

Simple three step calibration process:

1. Determine forward speed
2. Fit correct flow plate
3. Adjust pressure

3. Boom breakaway protects spray heads

Protects CDA atomisers from horizontal impact damage.

Amenity Boom

The C-Dax Amenity kit is perfect for Councils or Contractors for the spraying of roads, kerbs or fields.

THIS KIT COMES COMPLETE WITH:

- Height adjustable front mounted boom with 3 non-drip nozzles with up to 1.5 metre coverage and L/H and R/H Foot Peg nozzles with swivel heads.
- Triple Diverter valve with pressure gauge and 3 outlet taps: L/H Footpeg Nozzle, Centre Boom and R/H Footpeg Nozzle. Includes Hose and Fittings.



OPTIONS AVAILABLE		WARNING: DO NOT EXCEED THE MAXIMUM WEIGHT LOADING RECOMMENDED BY THE ATV MANUFACTURER
PART NO	DESCRIPTION	£RRP + VAT
1021	CDA boom 3.6m (See page 11 for Quicksmart™ Attachment options)	£1150.00
1022	CDA boom 5.4m (See page 11 for Quicksmart™ Attachment options)	£2030.00
2025	Amenity Boom Kit (comes with Quicksmart Attachment frame and boom mounts)	£395.00
2014	Tripple Diverter Valve Kit	£220.00



SPRAY GUN



T-JET LANCE



LANCE 360PSI

Lances and Spray Guns

Renowned for their quality and reliability, C-Dax lances and spray guns are available in a range of options to suit any spraying operation. Manufactured from high quality materials to ensure maximum strength and reliability, and longevity. Also compatible with a wide variety of nozzle tips for correctly matching the output of your pump.

SPECIFICATIONS:

- Lances rated from: 45–360psi (3.1–25 Bar)
- Spray guns rated from: 725–800psi (50–55 Bar)

COMES WITH:

- Hose tail
- Nozzle tip

1. High strength

Manufactured from high quality materials for maximum strength and reliability.

2. Compatible with any sprayer

A wide variety of nozzle tips ensure your choice of lance or spray gun can be correctly matched to the output of your pump.

OPTIONS AVAILABLE

WARNING: DO NOT EXCEED THE MAXIMUM WEIGHT LOADING RECOMMENDED BY THE ATV MANUFACTURER

PART NO	DESCRIPTION	£RRP + VAT
4000-6020	T-Jet Lance 100psi	£30.00
4000-5000	Lance 360psi HGSR	£39.75
4000-5026	Brass Adjustable Nozzle to suit HGSR	£8.95
4000-3900	Spray Gun 800psi HG2, 1.5mm tip	£95.00



3.8LPM



7.6LPM

12-Volt Pumps

Flojet pumps are recognised for their quality and reliability. Available as 60 or 45 psi pumps.

SPECIFICATIONS:

- 7.6Lpm (60psi) or 3.8Lpm (35psi)
- 3.8Lpm comes complete with 10mm hosetails

1. Reliable, high quality pumps

High quality components ensure longevity and reliability.

OPTIONS AVAILABLE

WARNING: DO NOT EXCEED THE MAXIMUM WEIGHT LOADING RECOMMENDED BY THE ATV MANUFACTURER

PART NO	DESCRIPTION	£RRP + VAT
6800-5000	Flojet Pump 7.6Lpm (60psi)	£165.00
6800-4000	Flojet Pump 3.8Lpm (35psi)	£105.00

25M POLY



100M STEEL



50M POLY



Hose Reels

C-Dax manufactures a wide variety of quality hose reels. An extensive range of mounting options enables them to be easily attached to your existing sprayer. Manufactured from high strength zinc plated steel or polyethylene to ensure maximum strength and longevity. Design features such as an extra wide handle make for easy winding.

SPECIFICATIONS:

- Rated to: 365psi (25 bar)
- 10mm hose fittings
- 25, 50 or 100

COMES WITH:

- Plumbing Kit
- 2m of delivery hose (to connect reel to existing sprayer)

OPTIONS AVAILABLE

WARNING: DO NOT EXCEED THE MAXIMUM WEIGHT LOADING RECOMMENDED BY THE ATV MANUFACTURER

PART NO	DESCRIPTION	£RRP + VAT
1057	Hose reel (Polyethylene), 25m	£229.00
1058	Hose reel (Polyethylene), 50m	£295.00
1059	Hose reel (Steel), 100m	£325.00



QUICKSMART™ FOR SPRAY BOOM



QUICKSMART™ FOR SPREADER

QuickSmart™ Attachment System

C-Dax's QuickSmart™ Attachment Frame and Upright Mounts are a universal mounting system that allows implements to be inter-changed without the need for nuts, bolts and spanners.

The QuickSmart™ Attachment Upright Mounts for Sprayers allows you to easy attach your C-Dax boom to your QuickSmart™ Attachment Frame on your ATV in seconds.

The QuickSmart™ Attachment Upright Mounts for Spreaders allows you to easy attach your C-Dax SpreadMaster and SlugMaster to your QuickSmart™ Attachment Frame on your ATV in seconds.

SPECIFICATIONS:

- Attachment Frame:
5mm steel frame;
weight: 6kg

COMES WITH:

- ATV mounting brackets
and fittings



QUICKSMART™ ATTACHMENT
FRAME



QUICKSMART™ ATTACHMENT
UPRIGHT MOUNTS FOR
BOOMS



QUICKSMART™
ATTACHMENT FRAME TO
SUIT UTVs



QUICKSMART™ ATTACHMENT
UPRIGHT MOUNTS FOR
SPREADERS

1. Change implements without nuts, bolts or spanners!

Unique 'latch' design enables compatible products to be fitted or removed in seconds.

2. Fits any ATV

Universal attachment brackets ensure the QuickSmart™ frame will fit any ATV!

OPTIONS AVAILABLE		WARNING: DO NOT EXCEED THE MAXIMUM WEIGHT LOADING RECOMMENDED BY THE ATV MANUFACTURER
PART NO	DESCRIPTION	£RRP + VAT
1073	QuickSmart™ Attachment Frame	£132.00
1074	QuickSmart™ Attachment Upright Mounts for booms only	£30.00
1113	QuickSmart™ Attachment Frame – To Suit UTV's Universal Fitting	£115.00
3008	QuickSmart™ Attachment Upright Mounts for Spreaders Only	£60.00

Tip Calibration Guide

TIP REF CODE	PRESSURE (BAR)	FLOW L/MIN	6KPH	8KPH	L/HA 10KPH	12KPH	14KPH
110-WR-01 Orange	1.0	0.23	46	35	28	23	20
	1.5	0.28	57	43	33	28	24
	2.0	0.33	66	50	40	33	28
	2.5	0.37	74	56	44	37	32
	3.0	0.40	80	60	48	40	34
	3.5	0.43	86	65	52	43	37
	4.0	0.46	92	69	55	46	39
110-WR-015 Green	1.0	0.35	70	53	42	35	30
	1.5	0.42	84	63	50	42	36
	2.0	0.49	98	74	59	49	42
	2.5	0.55	110	83	66	55	47
	3.0	0.60	120	90	72	60	51
	3.5	0.65	130	98	78	65	56
	4.0	0.69	138	104	83	69	59
110-WR-02 Yellow	1.0	0.46	92	69	55	46	39
	1.5	0.56	112	84	67	56	48
	2.0	0.65	130	98	78	65	56
	2.5	0.73	146	110	88	73	63
	3.0	0.80	160	120	96	80	69
	3.5	0.86	172	129	103	86	74
	4.0	0.92	184	138	110	92	79
110-WR-03 Blue	1.0	0.69	138	104	83	69	59
	1.5	0.85	170	128	102	85	73
	2.0	0.98	196	147	118	98	84
	2.5	1.10	220	165	132	110	94
	3.0	1.20	240	180	144	120	103
	3.5	1.30	260	195	156	130	111
	4.0	1.39	278	209	167	139	119

1. Wide Range Tip as standard

C-Dax uses the Wide Range tip as standard

2. Backed by people who care about their customers

All C-Dax products are supported by people who care about their customers, and come complete with a 12 month warranty.





SpreadMaster

The C-Dax SpreadMaster is a versatile general purpose 12-volt broadcast spreader that is suitable for a wide range of spreading and seeding applications. Features a simple and effective shutter system with delivery rate and spread centering controls. With a 70 litre capacity and a spread width of 15m (based on Urea at 10kph) the SpreadMaster ensures you can get your job done quickly and efficiently. Easily mounted on the back of your ATV using the C-Dax Quick Smart Frame system (see page 11 for details).



SPECIFICATIONS:

- 12-volt
- 70 Litre capacity hopper (60kg Urea)
- 15m spread width (Urea at 10kph)
- Applies up to 50kg/ha (Urea at 10kph)
- Weight: 28kg empty

COMES WITH:

- Wiring loom
- Remote mounting on/off switch
- Snap shut hopper lid

NB: For QuickSmart™ Attachment for SpreadMaster see page 11.

1. Fit and remove in seconds
Unique QuickSmart™ Attachment Frame allows operators to fit or remove QuickSmart™ compatible versions in seconds—no nuts, bolts or spanners!

2. Heavy-duty steel frame
Featuring extra bracing for optimum strength and rigidity and is galvanised for maximum corrosion protection.

3. Reliable 12-volt motor
Industrial strength 12-volt motor is powerful and reliable.

4. Unique spinner disc design
Ensures a wider and more even broadcast pattern.

OPTIONS AVAILABLE		WARNING: DO NOT EXCEED THE MAXIMUM WEIGHT LOADING RECOMMENDED BY THE ATV MANUFACTURER
PART NO	DESCRIPTION	£RRP + VAT
3000	SpreadMaster (See page 11 for Quicksmart™ Attachment options)	£825.00



NB: For QuickSmart™ Attachment for SlugMaster see page 11.



SlugMaster

The C-Dax SlugMaster is a heavy-duty 12-volt broadcast spreader that has been specifically developed for spreading bait in arable cropping situations.

Features a spread pattern up to 24m wide for maximum coverage and efficiency. Reliable and ready to go when you need it, easily attached to your flat deck vehicle, or ATV using the C-Dax QuickSmart™ Attachment Frame system (*see page 11 for details*).

SPECIFICATIONS:

- 12-volt
- 75 Litre capacity hopper
- Up to 24m spread width
- Applies 2.5–20 kg/ha
- Five application rate settings
- Weight: 30kg empty

COMES WITH:

- Wiring loom
- Remote shutter gate and spinner operation
- Snap shut hopper lid

1. Fit and remove in seconds

Unique QuickSmart™ Attachment Frame allows operators to fit or remove QuickSmart™ compatible versions in seconds—no nuts, bolts or spanners!

2. Heavy-duty steel frame

Featuring extra bracing for optimum strength and rigidity and is powder coated for maximum corrosion protection.

3. Remote spinner disc and shutter control

Allows the operator to control both the spinner disc and shutter gate without leaving the cab.

OPTIONS AVAILABLE

WARNING: DO NOT EXCEED THE MAXIMUM WEIGHT LOADING RECOMMENDED BY THE ATV MANUFACTURER

PART NO	DESCRIPTION	£RRP + VAT
3001	SlugMaster (<i>See page 11 for Quicksmart™ Attachment options</i>)	£865.00



BoxMate

The C-Dax BoxMate is a robust and convenient storage box for easily keeping all your tools together and ensuring that you can perform any job or maintenance on the farm in a timely manner.

Easily attached to the front or back of your ATV with the mounting hooks.

The BoxMate also features a one litre on-board fresh water storage tank moulded into the box so that you will always have water on hand to clean up with.

SPECIFICATIONS:

- BoxMate
Length 780mm;
Width = 370mm;
Height = 200mm;
Weight: 6kg
- Moulded in 1.5Litre fresh water tank

COMES WITH:

- Zinc plated mounting hooks and wingnut fasteners



1. Two internal trays

Internal trays to store staples/nails, tools and other useful items.

2. Hand wash tank

Unique one litre on-board fresh water tank is ideal for rinsing hands or components

ATV Carrier Mat

C-Dax's ATV carrier mat is a solid ATV mounting mat that provides stable footing for dogs, and a non-slip base for other loads while protecting your ATV.

SPECIFICATIONS:

- Length: 1200mm; Width: 520mm
- 18mm thick rubber
- Weight: 14kg



1. Non-slip surface

Textured non-slip surface provides a good footing for dogs.

2. Protect your investment

Protects the rear of the ATV seat against sharp claws, and the carrier from dents and scrapes. Maintains the value of your ATV.

OPTIONS AVAILABLE

WARNING: DO NOT EXCEED THE MAXIMUM WEIGHT LOADING RECOMMENDED BY THE ATV MANUFACTURER

PART NO	DESCRIPTION	£RRP + VAT
7001	BoxMate	£159.00

OPTIONS AVAILABLE

WARNING: DO NOT EXCEED THE MAXIMUM WEIGHT LOADING RECOMMENDED BY THE ATV MANUFACTURER

PART NO	DESCRIPTION	£RRP + VAT
120-71655	ATV Carrier Mat	£37.50



Spotlight

An all-purpose adjustable spotlight for ATV. Includes cigarette plug for easy charge from cigar-lighter.

DESIGNED TO CARRY

- Dimension: 160x170x157mm
- Clear lens
- Buckets
- Bulb: H3 12V 35W Bulb
- Main wire with cigarette terminal
- Black steel stand
- Body: Black



Gun Rack

Universal fitting gun rack fits any types of ATV'S, UTV'S and is designed to carry guns, bows and fishing rods securely on handle bars, front or rear racks

Part No - 120.0300



Universal Fitting Windscreen

Made from lexan polycarbonate with a protective rubber trim edge for maximum durability

Part No - 120.0200 ATV Universal windscreen

120.0210 ATV Universal Windscreen with headlight cut out

Mud Flap Kits

Universal Mounting Mudflap Kit - comes complete with steel mounting kit and hard rubber flaps

Part No - 145.0100 Universal ATV Mud Flap Kit

For pricing on the above contact your local C-Dax dealer

C-DAX (ATV City) TERMS OF TRADE—SUMMARY

1. PRICES

C-Dax (ATV City) reserves the right to change prices and specifications without notice. All prices are subject to VAT.

2. WARRANTY

C-Dax (ATV City) warrants that the goods sold are free from defects in materials, mechanical parts and workmanship. Accordingly, C-Dax (ATV City) undertakes to repair, or at our option replace, without cost to such original purchaser either for material, parts, or labour, any part which within the specified warranty period from time of delivery is found to be defective PROVIDED that the equipment has been used for the purposes intended by the manufacturer in accordance with the instructions and has not been subject to neglect, misuse or accident and has not been repaired, serviced or dismantled by any person other than a service agent authorised by C-Dax (ATV City). This warranty does not extend to cover repair or replacement of moving parts due to normal fair wear and tear arising from use. Specifically, the warranty excludes chemical attack, battery damage and goods built to customer's specifications. NB: All warranty goods to be returned to C-Dax (ATV City) with freight paid by the sender. An allowance has been included in dealer entitlements to cover the wholesale cost of Labour, travelling time and consumables used for warranty claims. Such costs will not normally be separately reimbursed.

3. MAXIMUM LIABILITY

The maximum liability which is accepted by C-Dax (ATV City) is limited to repair or replacement of faulty goods only. Under no circumstances will be liable for any indirect or consequential loss whatsoever. In the manufacture of our goods, every care has been taken but as the use of the goods is outside the control of the manufacturer, the end user assumes all responsibility for the use of the goods and neither the manufacturer nor any distributor or retailer shall be liable for any loss or damage resulting from use. Any advice or recommendations given by us or our staff is given in good faith and based on the best information available to us but neither we nor our staff accept liability arising from following that advice. The end user takes all responsibility for any action arising from that advice.

4. DELIVERY OF GOODS

Delivery shall be deemed complete when C-Dax (ATV City) gives possession of the goods to a carrier for delivery to the Purchaser. C-Dax (ATV City) shall not be liable for any damage or loss whatsoever arising from any failure to deliver or delay in delivery of the goods caused by an event beyond our control. The Purchaser should notify C-Dax (ATV City) on receipt of goods regarding any claims for damages in transit.

5. RETURN OF GOODS

Goods will not be accepted for credit unless returned within 14 days of delivery. Freight on all goods returned to C-Dax (ATV City) will be paid for by the sender. Prior approval must be obtained. An invoice number must be provided with returned goods. A 10% restocking fee will be charged unless approved by an authorised C-Dax (ATV City) representative. The credit value of authorised returns will be the original value less freight, less restocking fee, unless the goods are defective, or an error was made on the part of C-Dax (ATV City).

CONTACT C-DAX (ATV CITY) FOR A FULL COPY OF OUR TERMS OF TRADE



IS DISTRIBUTED IN EUROPE EXCLUSIVELY BY



T: +44 (0)1953 609999 F: +44 (0)1953 609998 E: sales@atvcity.co.uk

W: www.c-dax.com OR: www.atvcity.co.uk

Distributed in Denmark, Sweden and Norway on behalf of ATV City by:



A: Rødkilde ATV, Rødkilde Gods, Rødkildevej 15, 5762 V. Skerninge, Denmark

T: +45 50 26 26 26 W: www.roedkilde.com E: atv@roedkilde.com

Other products available from ATV City/C-Dax dealers



A full range of products is available to view at www.atvcity.co.uk

InEX

VALUE

Latest offers!



InEx Spreader 300

- 300 Litre Capacity
- 18m spread width (Urea @10kph)
- Nine application rate settings
- Maximum application rate 140kg/ha (Urea @10kph)
- Flotation tyres
- Waterproof hopper cover

Part No. 65028



AVAILABLE FROM:

Davies Implements Ltd
01267 237726

www.daviesimplements.co.uk
sales@daviesimplements.co.uk