LOGOSOL

ASSEMBLY INSTRUCTIONS

Ref. no. 0458-395-5360




SMART-SET


ASSEMBLY






LOGOSOL






CHROM VANADIUM


flänslåsmutter
m8 tensilok


sexkantmutterM8
M8x55


i=30



i=7,5



i=30
insexskruvM6x10
1=7,5


insexskruvM8x16
i=30
i=7,5


i=30
W=RED V=BLUE U=YELLOW
i=7,5
W=RED V=BLUE U=YELLOW






TYPE
V 12
W 6
ED%
100%
Z610A



MIN2
TYPE
V 12
W 6
ED:
100%
Z610A



insexskruv
M6x12
Flänsmutter
tensilok M6







Flänsmutter M8
tensilok






Insexskruv
M8x65
LOGOSOL
BAND 1001
15M
5M
5M
5M
LOGOSOL
www.logosol.se
Vikt ca 400 Kg
År 20
Serie
LOGOSOL
mm/inch
0
1


MIN2
ATTENZIONE - CAUTION
ERALIA AB
SWEDEN
423MV12c
F18
IP 45
ED-Intermittente
ED-100%
Hold
Pull
Common


INTERALIA AB
1423MV12c
12
IP
45
30 - ED-intermittent
0.5 - ED-100%
White - Hold
Red - Pull
Black - Common



låsmutter M6
planbricka M6

















2019 NH
2019 NH
POISON
SULFURIC ACID
CAN CAUSE BLINDNESS OR SEVERE BURNS.
READ ALL INSTRUCTIONS.
DO NOT TIP.
KEEP OUT OF THE REACH OF CHILDREN.
EXPLOSIVE GASES
CAN CAUSE BLINDNESS OR INJURY.
NO SMOKING
0 83996 00974 5


White
Red
Black - Comm
TYPE
V 12
W 6
ED.
100%
76104



OBS!
READ THE
MANUAL
ATTENZIONE - CAUTION
ERALIA AB
Stockholm - SWEDEN
F18
IP 45
ED-Intermittente
ED-100%
Hold



N01E
N01D
2019 NH
2019 NH
2019 NH
2
1
2
1









2019 NH
EJ LOGOSOL
MIN3
MIN4
Rekommendationstabell


2019 NH
LOGOSOL




7





LOGOSOL

Fiskaregatan 2, 871 33 Härnösand, SWEDEN
+46 611 182 85 | info@logosol.com | www.logosol.com